MAC INTERNATIONAL

THE MAC

AVANT

MOBILE PRESSURE WASHER RANGE



THE UK'S PREMIER CLEANING EQUIPMENT SUPPLIER

WWW.MACINTERNATIONAL.CO.UK

THE UK'S NUMBER ONE INDUSTRIAL MOBILE HOT PRESSURE WASHER



A HEAVY-DUTY MACHINE BUILT TO LAST!

Over the last 20 years the MAC Avant has become one of the most iconic hot mobile pressure washers in the UK, renowned for its quality and reliability.



AS USED BY THE **BRITISH ARMY**

IMAGE SHOWS THE FULLY LOADED MAC AVANT COMPLETE WITH STAINLESS STEEL HOSE REEL AND LANCE HOLDER

THE MAC AVANT PRESSURE WASHER RANGE

SCAN TO GO TO WEBSITE

The MAC Avant is the flagship hot mobile pressure washer from MAC International and has been supplied throughout the UK for over 20 years. It is now regarded as the UK's number one industrial hot mobile pressure washer and comes complete with a wide range of market-leading features.







30 SECOND
AUTO STOP/START

30 sec

MAC HEBOILER
HIGH EFFICIENCY

STANDARD FEATURES

- Heavy-duty steel chassis
- Stainless steel cover
- Professional Interpump with ceramic pistons
- Industrial 1450rpm 4 pole electric Nicolini motor
- Automatic stop/start system
- MAC high efficiency boiler system
- 4 large anti-shock rubber wheels for tough terrain
- Large 31ltr easy fill fuel tank with low level sensor
- Water tank with type AB airgap
- High pressure chemical system
- Plastic lance holder
- Steam stage with low pressure steam valve
- Bypass valve and safety valve
- Pressure gauge
- Burner control with flow switch and thermostat
- 24v low tension safety controls
- Low level fuel warning lamp with burner shutdown
- Including 10mt high pressure hose, single lance and RL37 washgun with swivel

	MAC1	MAC5	MAC49	MAC7
Water Flow	12lt per minute	15lt per minute	21lt per minute	12lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi	100bar, 1500psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm	3hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-150˚C	0-150˚C	0-150˚C	0-150˚C
Power	230v	400v	400v	110v
Weight	120kg	130kg	140kg	120kg
Dimensions (h x w x d)	85 x 63 x 100cm	85 x 63 x 100cm	85 x 63 x 100cm	85 x 63 x 100cm

MAC AVANT GRP

30 SECOND
AUTO STOP/START



SCAN TO GO TO WEBSITE

THE AVANT WITH GRP PLASTIC COVER

- Highly professional hot pressure washer
- Full Avant specification
- 230v, 400v & 110v options
- Strong GRP plastic cover
- Proven Avant reliability & performance

	MAC3	MAC4	MAC49/GRP	MAC7/GRP
Water Flow	12lt per minute	15lt per minute	21lt per minute	12lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi	200bar, 3000psi	100bar, 1500psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm	10hp, 1450rpm	3hp, 1450rpm
Chemical	High Pressure	High Pressure	High Pressure	High Pressure
Shutdown System	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start	Auto Stop/Start
Temperature	0-150˚C	0-150˚C	0-150˚C	0-150˚C
Power	230v	400v	400v	110v
Weight	110kg	120kg	140kg	110kg
Dimensions (h x w x d)	85 x 63 x 100cm	85 x 63 x 100cm	85 x 63 x 100cm	85 x 63 x 100cm

MAC AVANT K SERIES



SCAN TO GO TO WEBSITE

THE AVANT ZERO PRESSURE RANGE

- Highly professional hot pressure washer
- Perfect for all heavy-duty and industrial hot water washing
- 230v or 400v options available
- Timed shutdown system

	MAC8	MAC10
Water Flow	12lt per minute	15lt per minute
Pressure	100bar, 1500psi	200bar, 3000psi
Motor Specification	3hp, 1450rpm	7.5hp, 1450rpm
Chemical	High Pressure	High Pressure
Shutdown System	Timed Shutdown – Zero Pressure	Timed Shutdown – Zero Pressure
Temperature	0-150˚C	0-150˚C
Power	230v	400v
Weight	120kg	130kg
Dimensions (h x w x d)	85 x 63 x 100cm	85 x 63 x 100cm

MAC AVANT XL

FLAME FAILURE AND LEAK DETECTION SYSTEM

MAC HEBOILER · HIGH EFFICIENCY ·



SCAN TO GO TO WEBSITE

THE HEAVY-DUTY MAC AVANT XL


- Heavy-duty machine construction
- Highly professional hot pressure washer
- Flame failure & leak detection
- MAC high efficiency boiler system
- Stainless steel hinged cover
- Double bearing 10hp motor for high usage

	MAC49XL
Water Flow	21lt per minute
Pressure	200bar, 3000psi
Motor Specification	10hp, 1450rpm Double Bearing
Chemical	High Pressure
Shutdown System	Auto Stop/Start
Protection System	Flame Failure & Leak Detection
Temperature	0-150°C
Power	400v
Weight	200kg
Dimensions (h x w x d)	98 x 66 x 113cm

MAC AVANT OPTIONAL ACCESSORIES




AVANT/ACC001
STAINLESS STEEL HOSE REEL KIT
20mt manual hose reel with mounting kit



AVANT/ACC004
FROST PROTECTION
Including 60 watt heater tube & thermostat



AVANT/ACC002
STAINLESS STEEL LANCE HOLDER
Fitted



AVANT/ACC005
6LT STAINLESS STEEL BREAK WATER TANK
Including float valve, fittings, type AB airgap, fitted to machine



AVANT/ACC003
FLAME FAILURE & LEAK DETECTION
With photo cell and PCB upgrade and fitting



AVANT/ACC010
MAC PRO FILTER – ANTI-SCALE SYSTEM

AVANT

THE UK'S NUMBER 1 INDUSTRIAL PRESSURE WASHER



MAC INTERNATIONAL

T: 0870 24 24 462 E: sales@macinternational.co.uk

www.macinternational.co.uk

SCAN TO CONTACT US